



ITEM	QTY -041	P/N	DESCRIPTION
	X	D4029-041	WEBBING (LONG BASKET)
1	1	D4029-1	WEBBING (LONG BASKET)
2	1	D4029-5	MESH PANEL (LONG BASKET)



D4029-041 WEBBING (LONG BASKET) C



TYPICAL MESH-TO-WEBBING STITCH PATTERN C


- NOTES:
- 1) MATERIAL: THREAD - NYLON, A-A-59826, TYPE II, CLASS A, SIZE F, COLOR RED
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 3.04 lbs
  - 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACKSTITCH
  - 9) MESH PANELS SEWN TO INTERIOR SIDE OF NET, STITCH MESH TO WEBBING ALONG CENTER OF WEBBING STRIP WITH TRIPLE CONTINUOUS STITCHES.

RELEASED  
2018-12-03  
ECN 18-804


C	ADDED LENGTH AND WIDTH DIMENSIONS TO -041/-043; ALL THREAD NOW RED PER A-A-59826; GENERAL UPDATE ON TOLERANCE PER SUPPLIER REQUEST, REPLACE DETAIL A FOR GENERAL SKETCH, REVISE DETAIL C TO BOX STITCH PATTERN WAS FLAG STITCH PATTERN; 94.0 WAS 96.0 & 20.5 WAS 22.5 (FOR -5); 54.8 WAS 56.8 & 20.5 WAS 22.5 (FOR -7); UPDATE NOTES 1 TO 5 & -6. REF NCR18-6845	RF	18.11.06
B	ADD -5/-7; ADD -5/-7 MESH TO -041/-043; -1/-3 WAS -041/-043 AT REV. A. REF CIR 15-60	VS	15.12.17
A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	VS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA  DRAWING NO. <b>D4029</b> REV. C SHEET 1 OF 6 TITLE <b>WEBBING, 350 BASKET</b> SCALE NTS <small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DRAWN	RF		
CHECKED	SAD		
MFG. APPR.	DD		
APPROVED	VS		
DE APPR.	CP		
DATE	18.11.06		

APPROVED

ITEM	QTY -043	P/N	DESCRIPTION
	X	D4029-043	WEBBING (SHORT BASKET)
1	1	D4029-3	WEBBING (SHORT BASKET)
2	1	D4029-7	MESH PANEL (SHORT BASKET)



D4029-043 WEBBING (SHORT BASKET) C



TYPICAL MESH-TO-WEBBING STITCH PATTERN C

- C NOTES:
- 1) MATERIAL: THREAD - NYLON, A-A-59826, TYPE II, CLASS A, SIZE F, COLOR RED
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 2.11 lbs
  - 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACKSTITCH
  - 9) MESH PANELS SEWN TO INTERIOR SIDE OF NET, STITCH MESH TO WEBBING ALONG CENTER OF WEBBING STRIP WITH TRIPLE CONTINUOUS STITCHES.

APPROVED

DESIGN	VS
DRAWN	RF
CHECKED	SAD
MFG. APPR.	DD
APPROVED	VS
DE APPR.	CP
DATE	18.11.06

DART AEROSPACE LTD

HAWKESBURY, ONTARIO, CANADA

DRAWING NO.

D4029

REV. C

SHEET 2 OF 6

TITLE

WEBBING, 350 BASKET


SCALE

NTS

COPYRIGHT © 2015 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

RELEASED  
2018-12-03



**D4029-1 WEBBING (LONG BASKET)**

RELEASED  
2018-12-03


**NOTES:**

- 1) MATERIAL: WEBBING MATERIAL - NYLON, MIL-W-4088K, TYPE XVII, CLASS 1A, COLOR RED  
THREAD - NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO A-A-59826  
TYPE II, CLASS A, SIZE F, COLOR RED
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.0 lbs
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301,  
8-10 STITCHES PER INCH, MINIMUM 0.5" BACKSTITCH
- 9) HOT CUT WEBBING ENDS TO PREVENT FRAYING


APPROVED

DESIGN	VS
DRAWN	RF
CHECKED	SAD
MFG. APPR.	DD
APPROVED	VS
DE APPR.	CP
DATE	18.11.06


<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. <b>D4029</b>	REV. C SHEET 3 OF 6
TITLE <b>WEBBING, 350 BASKET</b>	SCALE NTS
<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D4029-3 WEBBING (SHORT BASKET)**



**DETAIL B**



**DETAIL C**

**NOTES:**

- 1) MATERIAL: WEBBING MATERIAL - NYLON, MIL-W-4088K, TYPE XVII, CLASS 1A, COLOR RED  
THREAD - NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO A-A-59826  
TYPE II, CLASS A, SIZE F, COLOR RED
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.5 lbs
- 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301,  
8-10 STITCHES PER INCH, MINIMUM 0.5" BACKSTITCH
- 9) HOT CUT WEBBING ENDS TO PREVENT FRAYING

**RELEASED**  
2018-12-03


APPROVED

DESIGN	VS
DRAWN	RF
CHECKED	SAD
MFG. APPR.	DD
APPROVED	VS
DE APPR.	CP
DATE	18.11.06

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4029** REV. C  
SHEET 4 OF 6  
TITLE **WEBBING, 350 BASKET** SCALE NTS

COPYRIGHT © 2015 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD.




**D4029-5 MESH PANEL (LONG BASKET)**

RELEASED  
2018 -12- 03

- NOTES:**
- 1) MATERIAL: MESH - 100% H.T. NYLON MESH BLACK (NOM 12 X 24 HOLES PER INCH), 0.045 THICK, STYLE TP21J (APEX MILLS CORPORATION) OR MARION #8885  
THREAD - NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO A-A-59826  
TYPE II, CLASS A, SIZE F, COLOR RED
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 1.04 lbs
  - 8) STITCH WITH 1.0 INCH HEM ALONG MESH PANEL EDGE

APPROVED

DESIGN	VS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	SAD	DRAWING NO.	REV. C
MFG. APPR.	DD	<b>D4029</b>	SHEET 5 OF 6
APPROVED	VS	TITLE	SCALE
DE APPR.	CP	<b>WEBBING, 350 BASKET</b>	NTS
DATE	18.11.06	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**D4029-7 MESH PANEL (SHORT BASKET)**

RELEASED  
2018-12-03

- NOTES:**
- 1) MATERIAL: MESH - 100% H.T. NYLON MESH BLACK (NOM 12 X 24 HOLES PER INCH), 0.045 THICK, STYLE TP21J (APEX MILLS CORPORATION) OR MARION #8885  
THREAD - NYLON THREAD TO BE USED FOR ALL SEAMS CONFORMING TO A-A-59826  
TYPE II, CLASS A, SIZE F, COLOR RED
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 0.61 lbs
  - 8) STITCH WITH 1.0 INCH HEM ALONG MESH PANEL EDGE

APPROVED	DESIGN	VS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
	DRAWN	RF		
	CHECKED	SAD	DRAWING NO.	REV. C
	MFG. APPR.	DD	D4029	SHEET 6 OF 6
	APPROVED	VS	TITLE	SCALE
	DE APPR.	CP	WEBBING, 350 BASKET	NTS
	DATE	18.11.06	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	